



DISCLAIMERS:

This product does not contain microorganisms.

**KEEP AWAY FROM CHILDREN.
NOT FOR HUMAN CONSUMPTION.**

Buyer assumes all risk of use, storage and handling of this material. Neither seller nor its agent make any warranty, expressed or implied, concerning this product, except in conformity with statement on the label.

Information regarding the contents and levels of metals in this product is available online at aapfco.org/metals.

STORAGE & HANDLING:

Rotate before use. Store in original container in a cool dry place out of direct sunlight. In case of accidental exposure, flush with water. Wear eye protection. Protective gloves recommended. May stain clothing.



Distributed by:



www.BioFlora.com.au

wabel@bioflora.com

BioFlora[®] 5-3-2

BioFlora[®] 5-3-2 contains a blend of nutrients designed for a steady rate of NPK release. Nitrogen from fish solubles are quickly taken up by the plant. Seaweed assists with the plant's metabolic rate and stress. Phosphorous and potassium assist with the plant's reproductive phase and water relations. This product is enhanced with our patented process known as Cellular Infuson[®] Technology. Driven by a nanomolecule and ionic minerals, Cellular Infuson[®] Technology improves the absorption, bioavailability and translocation of nutrients in plants at the cellular level.

Guaranteed Analysis:

Total Nitrogen 5.00%
0.40% Ammoniacal Nitrogen
4.18% Other Water Soluble Nitrogen
0.42% Water Insoluble Nitrogen
Available Phosphate (P2O5) 3.00%
Soluble Potash (K2O) 2.00%

Derivation:

Derived from urea, phosphoric acid, potassium hydroxide, fish solubles and seaweed (*Ascophyllum nodosum*).

Physical Characteristics:

Solubility in Water: 99%
Appearance and Odor: dark brown, fish odor
pH: 6.4
Expiration Date: 1 year from date of delivery

Density:

1.05 kgs. per liter

Compatibility:

Always jar test compatibility before applying products .

Directions for Use:

Dilute 1 part product to 10 parts water.

Application Rates:

Soil: @ planting 20-50lbs/treated Ha. Then 5-10lbs/treated Ha every 14 days.

Foliar: Apply 2-4lbs/Ha every 14-28 days.

